ELSEVIER

Mechanisms of Development 72 (1998) 183–184

Author index

Volume 72 (1998)

Aberger, F., Weidinger, G., Grunz, H., Richter, K., Anterior specification of embryonic ectoderm: the role of the *Xenopus* cement gland-specific gene XAG-2, 115
Anjard, C., see Dammann, H., 149
Audibert, A., Juge, F., Simonelig, M., The suppressor of forked protein of *Drosophila*, a homologue of the human 77K protein required for mRNA 3′-end formation, accumulates in mitotically-active cells, 53

Büning, J., see Rübsam, R., 131
Beck, C.W., Slack, J.M.W., Analysis of the developing *Xenopus* tail bud reveals separate phases of gene expression during determination and outgrowth, 41
Beddington, R.S.P., see Dunwoodie, S.L., 27
Belo, J.A., Leyns, L., Yamada, G., De Robertis, E.M., The prechordal midline of the chondrocranium is defective in *Goosecoid*-1 mouse mutants, 15
Blum, M., see Crocoll, A., 175
Borchers, A., see Hadeball, B., 101
Bringas Jr., P., see Zhao, J., 89

Cato, A.C.B., see Crocoll, A., 175
Chen, S., see Qiu, M., 77
Crocoll, A., Zhu, C.C., Cato, A.C.B., Blum, M., Expression of androgen receptor mRNA during mouse embryogenesis, 175

Dammann, H., Traincard, F., Anjard, C., van Bemmelen, M.X.P., Reymond, C., Véron, M., Functional analysis of the catalytic subunit of *Dictyostelium* PKA in vivo, 149
De Robertis, E.M., see Belo, J.A., 15
DeLotto, R., see DeLotto, Y., 141
DeLotto, Y., DeLotto, R., Proteolytic processing of the *Drosophila* Spätzle protein by Easter generates a dimeric NGF-like molecule with ventralising activity, 141
Dent, J.A., Han, M., Post-embryonic expression pattern of *C. elegans let-60 ras* reporter constructs, 179
Dhouailly, D., see Viallet, J.P., 159
Dunwoodie, S.L., Rodriguez, T.A., Beddington, R.S.P., *Msg1* and *Mrg1*, founding members of a gene family, show distinct patterns of gene expression during mouse embryogenesis, 27

Frasch, M., see Lo, P.C.H., 65

Gauldie, J., see Zhao, J., 89
Grunz, H., see Aberger, F., 115

Hadeball, B., Borchers, A., Wedlich, D., *Xenopus* cadherin-11 (Xcadherin-11) expression requires the Wg/Wnt signal, 101
Han, M., see Dent, J.A., 179
Heller, A., Steinmann-Zwicky, M., No premature gene expression in germ cells of embryos deriving from *nos* females, 169
Hirsinger, E., see Viallet, J.P., 159
Hollmann, M., see Rübsam, R., 131

Iatrou, K., see Swevers, L., 3

Juge, F., see Audibert, A., 53

Lammermann, U., see Rübsam, R., 131
Leyns, L., see Belo, J.A., 15
Lo, P.C.H., Frasch, M., *bagpipe*-dependent expression of *vimar*, a novel Armadillo-repeats gene, in *Drosophila* visceral mesoderm, 65

Olivera-Martinez, I., see Viallet, J.P., 159

Pourquié, O., see Viallet, J.P., 159
Prin, F., see Viallet, J.P., 159

Qui, M., Shimamura, K., Sussel, L., Chen, S., Rubenstein, J.L.R., Control of anteroposterior and dorsoventral domains of *Nkx-6.1* gene expression relative to other *Nkx* genes during vertebrate CNS development, 77

Rübsam, R., Hollmann, M., Simmerl, E., Lammermann, U., Schäfer, M.A., Büning, J., Schäfer, U., The *egghead* gene product influences oocyte differentiation by follicle cell–germ cell interactions in *Drosophila melanogaster*, 131
Reymond, C., see Dammann, H., 149
Richter, K., see Aberger, F., 115
Rodriguez, T.A., see Dunwoodie, S.L., 27
Rubenstein, J.L.R., see Qiu, M., 77

Schäfer, M.A., see Rübsam, R., 131
Schäfer, U., see Rübsam, R., 131
Shimamura, K., see Qiu, M., 77
Sime, P.J., see Zhao, J., 89
Simmerl, E., see Rübsam, R., 131
Simonelig, M., see Audibert, A., 53
Slack, J.M.W., see Beck, C.W., 41
Steinmann-Zwicky, M., see Heller, A., 169
Sussel, L., see Qiu, M., 77
Swevers, L., Iatrou, K., The orphan receptor BmHNF-4 of the silkmoth Bombyx mori: ovarian and zygotic expression of two mRNA isoforms encoding polypeptides with different activating domains, 3

Traincard, F., see Dammann, H., 149

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(97)00044-6

Véron, M., see Dammann, H., 149
van Bemmelen, M.X.P., see Dammann, H., 149
Viallet, J.P., Prin, F., Olivera-Martinez, I., Hirsinger, E., Pourquié, O., Dhouailly, D., Chick *Delta-1* gene expression and the formation of the feather primordia, 159

Warburton, D., see Zhao, J., 89
Wedlich, D., see Hadeball, B., 101
Weidinger, G., see Aberger, F., 115

Yamada, G., see Belo, J.A., 15

Zhao, J., Sime, P.J., Bringas Jr., P., Gauldie, J., Warburton, D., Epithelium-specific adenoviral transfer of a dominant-negative mutant TGF-β type II receptor stimulates embryonic lung-branching morphogenesis in culture and potentiates EGF and PDGF-AA, 89
Zhu, C.C., see Crocoll, A., 175

ELSEVIER

Mechanisms of Development 72 (1998) 185–188

Subject index

Volume 72 (1998)

Activin; Cadherin; Wnt; BMP-4; Siamois; Convergent extension **72**, 101

Adrenal; Androgen receptor; Steroid hormone receptor; Mouse embryogenesis; Mammary gland; External genitalia; Internal genitalia; Pituitary; Musculus levator ani **72**, 175

Androgen receptor; Steroid hormone receptor; Mouse embryogenesis; Mammary gland; External genitalia; Internal genitalia; Pituitary; Adrenal; Musculus levator ani **72**, 175

A-P axis; Posterior; Enhabcer-trap lines; LacZ; Germ cells; Germaline **72**, 169

Armadillo; *tinman*; *bagpipe*; *Drosophila*; *vimar*; Smg guanine dissociation stimulator protein **72**, 65

bagpipe; *tinman*; *Drosophila*; *vimar*; Armadillo; Smg guanine dissociation stimulator protein **72**, 65

bBMP4; Cadherin; Wnt; Activin; Siamois; Convergent extension **72**, 101

BMP-4; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Bombyx mori; HNF-4; Follicular cells; Nuclear receptor; Oogenesis **72**, 3

Cadherin; Wnt; BMP-4; Activin; Siamois; Convergent extension **72**, 101

Caenorhabditis; Elegans; Let-60; Ras; Signal transduction; Cell lineage; Gene expression **72**, 179

cAMP-dependent protein kinase (PKA); cAPK; *Dictyostelium discoideum*Development **72**, 149

cAPK; cAMP-dependent protein kinase (PKA); *Dictyostelium discoideum*; Development **72**, 149

Cell interactions; *Delta-1*; Chick; Embryo; Feathers; Fibroblast growth factor 2 (FGF2); Pattern; Skin **72**, 159

Cell lineage; Caenorhabditis; Elegans; Let-60; Ras; Signal transduction; Gene expression **72**, 179

Cement gland; *Xenopus*; Pattern formation; Neural induction **72**, 115

Chick; *Delta-1*; Cell interactions; Embryo; Feathers; Fibroblast growth factor 2 (FGF2); Pattern; Skin **72**, 159

Cleavage stimulation factor (CstF); *Drosophila*; Dividing cells; mRNA processing; Polyadenylation regulation **72**, 53

Competitive PCR; Intra-tracheal micro-injection; Epithelium-specific gene transfer; Dominant-negative TGF-β type II receptor; Recombinant adenovirus; Potentiation **72**, 89

Convergent extension; Cadherin; Wnt; BMP-4; Activin; Siamois **72**, 101

Craniofacial development; *Goosecoid*; *Gsc-1*; Prechordal plate; Gastrulation; Spemann organizer **72**, 15

Cytokine processing; *Spätzle*; Dorsal-ventral; Nerve growth factor **72**, 141

Delta-1; Cell interactions; Chick; Embryo; Feathers; Fibroblast growth factor 2 (FGF2); Pattern; Skin **72**, 159

Development; cAMP-dependent protein kinase (PKA); cAPK; *Dictyostelium discoideum* **72**, 149

Dictyostelium discoideumcAMP-dependent protein kinase (PKA); cAPK; ; Development **72**, 149

Dividing cells; Cleavage stimulation factor (CstF); *Drosophila*; mRNA processing; Polyadenylation regulation **72**, 53

Dominant-negative TGF-β type II receptor; Intra-tracheal micro-injection; Epithelium-specific gene transfer; Recombinant adenovirus; Potentiation; Competitive PCR **72**, 89

Dorsal-ventral; *Spätzle*; Nerve growth factor; Cytokine processing **72**, 141

Drosophila oogenesis; Follicle formation; Oocyte differentiation; *egh* function **72**, 131

Drosophila; *tinman*; *bagpipe*; *vimar*; Armadillo; Smg guanine dissociation stimulator protein **72**, 65

Drosophila; Cleavage stimulation factor (CstF); Dividing cells; mRNA processing; Polyadenylation regulation **72**, 53

egh function; *Drosophila* oogenesis; Follicle formation; Oocyte differentiation **72**, 131

Elegans; Caenorhabditis; Let-60; Ras; Signal transduction; Cell lineage; Gene expression **72**, 179

Embryo; *Delta-1*; Cell interactions; Chick; Feathers; Fibroblast growth factor 2 (FGF2); Pattern; Skin **72**, 159

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(98)00045-8

Embryo; Mouse; Gastrulation; Visceral endoderm; Heart; Septum transversum; Melanocyte-specific gene (*Msg1*); MSG1-related gene (*Mrg1*) **72**, 27

Enhabcer-trap lines; LacZ; Germ cells; Germaline; A-P axis; Posterior **72**, 169

Epithelium-specific gene transfer; Intra-tracheal micro-injection; Dominant-negative TGF-β type II receptor; Recombinant adenovirus; Potentiation; Competitive PCR **72**, 89

Exogastrula; Tail bud; *Xenopus*; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

External genitalia; Androgen receptor; Steroid hormone receptor; Mouse embryogenesis; Mammary gland; Internal genitalia; Pituitary; Adrenal; Musculus levator ani **72**, 175

Feathers; *Delta-1*; Cell interactions; Chick; Embryo; Fibroblast growth factor 2 (FGF2); Pattern; Skin **72**, 159

Fibroblast growth factor 2 (FGF2); *Delta-1*; Cell interactions; Chick; Embryo; Feathers; Pattern; Skin **72**, 159

Follicle formation; *Drosophila* oogenesis; Oocyte differentiation; *egh* function **72**, 131

Follicular cells; HNF-4; Bombyx mori; Nuclear receptor; Oogenesis **72**, 3

Gastrulation; *Goosecoid*; *Gsc-1*; Craniofacial development; Prechordal plate; Spemann organizer **72**, 15

Gastrulation; Mouse; Embryo; Visceral endoderm; Heart; Septum transversum; Melanocyte-specific gene (*Msg1*); MSG1-related gene (*Mrg1*) **72**, 27

Gene expression; Caenorhabditis; Elegans; Let-60; Ras; Signal transduction; Cell lineage **72**, 179

Germ cells; Germaline; A-P axis; Posterior; Enhabcer-trap lines; LacZ **72**, 169

Germaline; A-P axis; Posterior; Enhabcer-trap lines; LacZ; Germ cells **72**, 169

Goosecoid; *Gsc-1*; Craniofacial development; Prechordal plate; Gastrulation; Spemann organizer **72**, 15

Gsc-1; *Goosecoid*; Craniofacial development; Prechordal plate; Gastrulation; Spemann organizer **72**, 15

Heart; Mouse; Embryo; Gastrulation; Visceral endoderm; Septum transversum; Melanocyte-specific gene (*Msg1*); MSG1-related gene (*Mrg1*) **72**, 27

HNF-4; Follicular cells; Bombyx mori; Nuclear receptor; Oogenesis **72**, 3

Internal genitalia; Androgen receptor; Steroid hormone receptor; Mouse embryogenesis; Mammary gland; External genitalia; Pituitary; Adrenal; Musculus levator ani **72**, 175

Intra-tracheal micro-injection; Epithelium-specific gene transfer; Dominant-negative TGF-β type II receptor; Recombinant adenovirus; Potentiation; Competitive PCR **72**, 89

Intra-tracheal micro-injection; Epithelium-specific gene transfer; Dominant-negative TGF-β type II receptor; Recombinant adenovirus; Potentiation; Competitive PCR **72**, 89

LacZ; Germ cells; Germaline; A-P axis; Posterior; Enhabcer-trap lines **72**, 169

Let-60; Caenorhabditis; Elegans; Ras; Signal transduction; Cell lineage; Gene expression **72**, 179

lunatic fringe; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *sonic hedgehog* **72**, 41

Mammary gland; Androgen receptor; Steroid hormone receptor; Mouse embryogenesis; External genitalia; Internal genitalia; Pituitary; Adrenal; Musculus levator ani **72**, 175

Melanocyte-specific gene (*Msg1*); Mouse; Embryo; Gastrulation; Visceral endoderm; Heart; Septum transversum; MSG1-related gene (*Mrg1*) **72**, 27

Mouse embryogenesis; Androgen receptor; Steroid hormone receptor; Mammary gland; External genitalia; Internal genitalia; Pituitary; Adrenal; Musculus levator ani **72**, 175

Mouse; Embryo; Gastrulation; Visceral endoderm; Heart; Septum transversum; Melanocyte-specific gene (*Msg1*); MSG1-related gene (*Mrg1*) **72**, 27

mRNA processing; Cleavage stimulation factor (CstF); *Drosophila*; Dividing cells; Polyadenylation regulation **72**, 53

MSG1-related gene (*Mrg1*); Mouse; Embryo; Gastrulation; Visceral endoderm; Heart; Septum transversum; melanocyte-specific gene (*Msg1*) **72**, 27

Musculus levator ani; Androgen receptor; Steroid hormone receptor; Mouse embryogenesis; Mammary gland; External genitalia; Internal genitalia; Pituitary; Adrenal **72**, 175

Nerve growth factor; *Spätzle*; Dorsal-ventral; Cytokine processing **72**, 141

Neural induction; *Xenopus*; Pattern formation; Cement gland **72**, 115

Neural plate; *Nkx*; Neural tube; Patterning; Sonic hedgehog **72**, 77

Neural tube; *Nkx*; Neural plate; Patterning; Sonic hedgehog **72**, 77

NMC model; Tail bud; *Xenopus*; Exogastrula; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Nkx; Neural plate; Neural tube; Patterning; Sonic hedgehog **72**, 77

sonic hedgehog; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe* **72**, 41

Nuclear receptor; HNF-4; Follicular cells; Bombyx mori; Oogenesis **72**, 3

Oocyte differentiation; *Drosophila* oogenesis; Follicle formation; *egh* function **72**, 131

Oogenesis; HNF-4; Follicular cells; Bombyx mori; Nuclear receptor **72**, 3

Pattern formation; *Xenopus*; Neural induction; Cement gland **72**, 115

Pattern; *Delta-1*; Cell interactions; Chick; Embryo; Feathers; Fibroblast growth factor 2 (FGF2); Skin **72**, 159

Patterning; *Nkx*; Neural plate; Neural tube; Sonic hedgehog **72**, 77

Pituitary; Androgen receptor; Steroid hormone receptor; Mouse embryogenesis; Mammary gland; External genitalia; Internal genitalia; Adrenal; Musculus levator ani **72**, 175

Polyadenylation regulation; Cleavage stimulation factor (CstF); *Drosophila*; Dividing cells; mRNA processing **72**, 53

Posterior; Enhabcer-trap lines; LacZ; Germ cells; Germaline; A-P axis **72**, 169

Potentiation; Intra-tracheal micro-injection; Epithelium-specific gene transfer; Dominant-negative TGF-β type II receptor; Recombinant adenovirus; Competitive PCR **72**, 89

Prechordal plate; *Goosecoid*; *Gsc-1*; Craniofacial development; Gastrulation; Spemann organizer **72**, 15

Ras; Caenorhabditis; Elegans; Let-60; Signal transduction; Cell lineage; Gene expression **72**, 179

Recombinant adenovirus; Intra-tracheal micro-injection; Epithelium-specific gene transfer; Dominant-negative TGF-β type II receptor; Potentiation; Competitive PCR **72**, 89

Septum transversum; Mouse; Embryo; Gastrulation; Visceral endoderm; Heart; Melanocyte-specific gene (*Msg1*); MSG1-related gene (*Mrg1*) **72**, 27

Siamois; Cadherin; Wnt; BMP-4; Activin; Convergent extension **72**, 101

Signal transduction; Caenorhabditis; Elegans; Let-60; Ras; Cell lineage; Gene expression **72**, 179

Skin; *Delta-1*; Cell interactions; Chick; Embryo; Feathers; Fibroblast growth factor 2 (FGF2); Pattern **72**, 159

Smg guanine dissociation stimulator protein; *tinman*; *bagpipe*; *Drosophila*; *vimar*; Armadillo **72**, 65

Sonic hedgehog; *Nkx*; Neural plate; Neural tube; Patterning **72**, 77

Spätzle; Dorsal-ventral; Nerve growth factor; Cytokine processing **72**, 141

Spemann organizer; *Goosecoid*; *Gsc-1*; Craniofacial development; Prechordal plate; Gastrulation **72**, 15

Steroid hormone receptor; Androgen receptor; Mouse embryogenesis; Mammary gland; External genitalia; Internal genitalia; Pituitary; Adrenal; Musculus levator ani **72**, 175

Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

tinman; *bagpipe*; *Drosophila*; *vimar*; Armadillo; Smg guanine dissociation stimulator protein **72**, 65

vimar; *tinman*; *bagpipe*; *Drosophila*; Armadillo; Smg guanine dissociation stimulator protein **72**, 65

Visceral endoderm; Mouse; Embryo; Gastrulation; Heart; Septum transversum; Melanocyte-specific gene (*Msg1*); MSG1-related gene (*Mrg1*) **72**, 27

Xbra; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xcad3; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

X-delta-1; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

X-delta-2; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xenopus; Pattern formation; Neural induction; Cement gland **72**, 115

Xenopus; Tail bud; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xhox3; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xlim1; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xnot2; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

X-Notch-1; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xpo; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *lunatic fringe*; *sonic hedgehog* **72**, 41

X-serrate-1; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xwnt3a; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt5a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Xwnt5a; Tail bud; *Xenopus*; Exogastrula; NMC model; *Xbra*; *Xnot2*; *Xlim1*; *Xwnt3a*; *BMP-4*; *X-delta-1*; *X-delta-2*; *X-Notch-1*; *X-serrate-1*; *Xcad3*; *Xhox3*; *Xpo*; *lunatic fringe*; *sonic hedgehog* **72**, 41

Wnt; Cadherin; BMP-4; Activin; Siamois; Convergent extension **72**, 101